

PRIMER-RR

Multi-purpose adhesion primer

Description

Multi-purpose, ready-to-use primer for internal and external walls.

Features

PRIMER-RR has excellent adhesion on plasterboard, concrete, brick, marble, ceramics, cement-based and gypsum-based renders.

Fields of use

Adhesion primer for Microtopping® and smoothing of vertical surfaces.

Application

The substrates must be clean, dry and free of oils, greases, cement mortars and loose particles. Pre-wetting of the substrate is not required before applying Primer-RR.

Mix before use. It is possible to dilute with 5-10% with water.

PRIMER-RR can be applied by roller, brush, spray or spatula.

On ceramic walls, apply a first coat by roller and then, once dry, a second coat to smooth out the joints.

Technical specifications

SPECIFIC WEIGHT	1.56 Kg/L
TOXICITY	NON-TOXIC
MINIMUM APPLICATION TEMPERATURE	10°C

Consumption

Consumption: 3-400 gr/m²

Packaging / Storage / Disposal

PRIMER-RR is supplied in 22.5 Kg tanks.

It can be stored for approximately 12 months in the original containers at a temperature between 5°C and 35°C.

Warning

For good performance and workability, it is absolutely necessary for the substrate to be solid and free of any unstable parts or loose particles.

Consult the safety data sheets.

**IMPORTANT**

All information contained herein is based on the best and most recently available practical and laboratory testing. It is the customers responsibility to determine that the product is suitable for their chosen application. The manufacturer assumes no responsibility for the results of incorrect applications. You should always test on a small area before full scale application. This document replaces all previous versions. The data can be changed at any time. Also note that the products are intended for professional use only. Ideal Work provides training, updates and refresher courses for their regular customers on request. Anyone using these products without being enabled does so at their own risk.

ED. 01 01.09.2016 – Rev 02 dated 15.03.2020